

L Number	Hits	Search Text	DB	Time stamp
	1	(US-6588011-\$ or US-6347397-\$ or US-6269480-\$ or US-6161218-\$ or US-6117187-\$ or US-5966540-\$ or US-6634022-\$ or US-6601236-\$ or US-6550061-\$ or US-6453469-\$ or US-6523166-\$ or US-6199204-\$ or US-6151643-\$ or US-6363411-\$ or US-6175364-\$ or US-6631425-\$ or US-6505228-\$ or US-6496833-\$ or US-6425005-\$ or US-6014666-\$ or US-5845090-\$ or US-6373507-\$).did. or (US-20020116698-\$ or US-20020083166-\$).did.	USPAT; US-PGPUB	2004/03/06 13:05
2	3	((US-6588011-\$ or US-6347397-\$ or US-6269480-\$ or US-6161218-\$ or US-6117187-\$ or US-5966540-\$ or US-6634022-\$ or US-6601236-\$ or US-6550061-\$ or US-6453469-\$ or US-6523166-\$ or US-6199204-\$ or US-6151643-\$ or US-6363411-\$ or US-6175364-\$ or US-6631425-\$ or US-6505228-\$ or US-6496833-\$ or US-6425005-\$ or US-6014666-\$ or US-5845090-\$ or US-6373507-\$).did. or (US-20020116698-\$ or US-20020083166-\$).did.) and (rollback and class)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/06 13:05
	549	(@ad<=20000715 or @rlad<=20000715) and (((deploy\$4 or activat\$4).ab. or ((deploy\$4 or activat\$4).clm.)) and (class same (attribute or package)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 09:35
	81	((@ad<=20000715 or @rlad<=20000715) and (((deploy\$4 or activat\$4).ab. or ((deploy\$4 or activat\$4).clm.)) and (class same (attribute or package))) and (717/\$ or 709/4 or 714/\$))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 09:26
	9156	((717/168-178) or (345/749) or (709/213-222)).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 09:34
	453	((717/168-178) or (345/749) or (709/213-222)).CCLS.) and (download\$4 and ((software or Java) near4 package))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 09:35
	313	((717/168-178) or (345/749) or (709/213-222)).CCLS.) and (download\$4 and ((software or Java) near4 package)) and (@ad<=20000715 or @rlad<=20000715)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 09:35
	5	((@ad<=20000715 or @rlad<=20000715) and (((deploy\$4 or activat\$4).ab. or ((deploy\$4 or activat\$4).clm.)) and (class same (attribute or package))) and (717/\$ or 709/4 or 714/\$)) and (execut\$4 near4 method) and (software near2 package)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 11:06
	210	((attribute or parameter) same ((class or method) near4 instantiat\$4)) and (download\$3 or deploy\$5 or activat\$4 or load\$4) and (class adj2 instance)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 13:11

	731	(@ad<=20000715 or @rlad<=20000715) and ((deploy\$4 or activat\$4) same (Java or program or applet or application or executable or software)).ab. and (download\$4 or activat\$4 or load\$4 or instantiat\$4) and (commit\$4 or rollback or restor\$4 or undo\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 11:19
	2	((attribute or parameter) same ((class or method) near4 instantiat\$4)) and (download\$3 or deploy\$5 or activat\$4 or load\$4) and (class adj2 instance)) and (@ad<=20000715 or @rlad<=20000715) and ((deploy\$4 or activat\$4) same (Java or program or applet or application or executable or software)).ab. and (download\$4 or activat\$4 or load\$4 or instantiat\$4) and (commit\$4 or rollback or restor\$4 or undo\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 11:19
	28	("4523206" "4697266" "4875162" "5367643" "5446874" "5448230" "5455934" "5457683" "5566306" "5572678" "5586256" "5590124" "5680602" "5701482" "5724516" "5754763" "5799323" "5805920" "5819083" "5930798" "6223343" "6347397" "6351850" "6374401" "6385766" "6490723" "6510466" "6526447").PN.	USPAT	2004/03/05 11:35
	6	((@ad<=20000715 or @rlad<=20000715) and ((deploy\$4 or activat\$4)).ab. or ((deploy\$4 or activat\$4).clm.)) and (class same (attribute or package)) and ((first and second) adj2 (mode or option)) and (execut\$4 near4 method)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 14:16
	4	6347397.URPN.	USPAT	2004/03/05 12:17
	22	("5577244" "5724503" "5835911" "5860004" "5867713" "5867714" "5881236" "5920868" "5930513" "5987247" "6018747" "6023586" "6051032" "6093215" "6117187" "6131192" "6161218" "6167567" "6202207" "6205527" "6205579" "6269480").PN.	USPAT	2004/03/05 12:19
	5	("5428782" "5920867" "5966540" "6006035" "6144960").PN.	USPAT	2004/03/05 12:20
	5	("5428782" "5920867" "5966540" "6006035" "6144960").PN.	USPAT	2004/03/05 12:40
	11	6269480.URPN.	USPAT	2004/03/05 12:40
	7	(((@ad<=20000715 or @rlad<=20000715) and (((deploy\$4 or activat\$4)).ab. or ((deploy\$4 or activat\$4).clm.)) and (class same (attribute or package))) and (717/\$ or 709/4 or 714/\$)) and (((((717/168-178) or (345/749) or (709/213-222)).CCLS.) and (download\$4 and ((software or Java) near4 package))) and (@ad<=20000715 or @rlad<=20000715))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 14:30

	64	<pre>("5418554" "5421009" "5473772" "5535326" "5555416" "5581764" "5586304" "5625823" "5630076" "5644766" "5655081" "5659547" "5692129" "5732266" "5732275" "5742829" "5752042" "5764992" "5768566" "5778234" "5784612" "5790664" "5790856" "5796967" "5805897" "5835911" "5859969" "5859978" "5867713" "5867714" "5870762" "5897640" "5925127" "5930513" "5930514" "5933647" "5954827" "5960204" "5966540" "5978590" "5987504" "5991877" "5995756" "5999740" "6006034" "6006035" "6009274" "6009401" "6021438" "6023586" "6029147" "6041333" "6067582" "6131192" "6151643" "6151708" "6161218" "6199204" "6202207" "6205527" "6212536" "6314565" "6345386" "6389589").PN.</pre>	USPAT	2004/03/05 13:05
	2	<pre>((("5418554" "5421009" "5473772" "5535326" "5555416" "5581764" "5586304" "5625823" "5630076" "5644766" "5655081" "5659547" "5692129" "5732266" "5732275" "5742829" "5752042" "5764992" "5768566" "5778234" "5784612" "5790664" "5790856" "5796967" "5805897" "5835911" "5859969" "5859978" "5867713" "5867714" "5870762" "5897640" "5925127" "5930513" "5930514" "5933647" "5954827" "5960204" "5966540" "5978590" "5987504" "5991877" "5995756" "5999740" "6006034" "6006035" "6009274" "6009401" "6021438" "6023586" "6029147" "6041333" "6067582" "6131192" "6151643" "6151708" "6161218" "6199204" "6202207" "6205527" "6212536" "6314565" "6345386" "6389589").PN.) and (install\$4 or activat\$4 or download\$4 or (class near3 load\$4)).ab. and instantiat\$4 and (rollback or uninstall\$4 or deactivat\$4 or roll-out or backup or restor\$4)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 13:11
	4	<pre>((Java or object-oriented or script) and (install\$4 or activat\$4 or download\$4 or (class near3 load\$4)).ab. and instantiat\$4 and (rollback or uninstall\$4 or deactivat\$4 or roll-out or backup or restor\$4)) and ((attribute or parameter) same ((class or method) near4 instantiat\$4)) and (download\$3 or deploy\$5 or activat\$4 or load\$4) and (class adj2 instance)) ((Java or object-oriented or script) and (install\$4 or activat\$4 or download\$4 or (class near3 load\$4)).ab. and instantiat\$4 and (rollback or uninstall\$4 or deactivat\$4 or roll-out or backup or restor\$4)) and ((@ad<=20000715 or @rlad<=20000715) and ((deploy\$4 or activat\$4) same (Java or program or applet or application or executable or software)).ab. and (download\$4 or activat\$4 or load\$4 or instantiat\$4) and (commit\$4 or rollback or restor\$4 or undo\$4))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 13:12
	13	<pre>((Java or object-oriented or script) and (install\$4 or activat\$4 or download\$4 or (class near3 load\$4)).ab. and instantiat\$4 and (rollback or uninstall\$4 or deactivat\$4 or roll-out or backup or restor\$4)) and ((@ad<=20000715 or @rlad<=20000715) and ((deploy\$4 or activat\$4) same (Java or program or applet or application or executable or software)).ab. and (download\$4 or activat\$4 or load\$4 or instantiat\$4) and (commit\$4 or rollback or restor\$4 or undo\$4))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 14:13

		6	((installation or activation) near3 script) and ((class or method) near3 instantiat\$4) and (deinstall\$4 or uninstial\$4 or roll-out or rollback or back-out or restor\$4) (@ad<=20000715 or @rlad<=20000715) and (((installation or activation) near3 script) and ((class or method) near3 instantiat\$4) and (deinstall\$4 or uninstial\$4 or roll-out or rollback or back-out or restor\$4)) and (execut\$4 near4 method)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 14:20 2004/03/05 14:20
		3	((installation or activation or configuration) near3 script) and (((5577244" "5724503" "5835911" "5860004" "5867713" "5867714" "5881236" "5920868" "5930513" "5987247" "6018747" "6023586" "6051032" "6093215" "6117187" "6131192" "6161218" "6167567" "6202207" "6205527" "6205579" "6269480").PN.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 14:22
		62	((installation or activation or configuration) near3 (script or program)) and (instantiat\$5 near3 (class or object or method)) and (rollback or deinstall or uninstall or re-activate or roll-out)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 14:28
		1	((installation or activation or configuration) near3 (script or program)) and (instantiat\$5 near3 (class or object or method)) and (rollback or deinstall or uninstall or re-activate or roll-out)) and (((attribute or parameter) same ((class or method) near4 instantiat\$4)) and (download\$3 or deploy\$5 or activat\$4 or load\$4) and (class adj2 instance)) or (@ad<=20000715 or @rlad<=20000715) and ((deploy\$4 or activat\$4) same (Java or program or applet or application or executable or software)).ab. and (download\$4 or activat\$4 or load\$4 or instantiat\$4) and (commit\$4 or rollback or restor\$4 or undo\$4)) and ((install\$5 or download\$4 or configur\$6 or upgrad\$4 or build) adj2 package)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 14:51
		23	((attribute or parameter) same ((class or method) near4 instantiat\$4)) and (download\$3 or deploy\$5 or activat\$4 or load\$4) and (class adj2 instance)) or (@ad<=20000715 or @rlad<=20000715) and ((deploy\$4 or activat\$4) same (Java or program or applet or application or executable or software)).ab. and (download\$4 or activat\$4 or load\$4 or instantiat\$4) and (commit\$4 or rollback or restor\$4 or undo\$4)) and ((install\$5 or download\$4 or configur\$6 or upgrad\$4 or build) adj2 package)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 14:30

		16	(((((attribute or parameter) same ((class or method) near4 instantiat\$4)) and (download\$3 or deploy\$5 or activat\$4 or load\$4) and (class adj2 instance)) or ((@ad<=20000715 or @rlad<=20000715) and ((deploy\$4 or activat\$4) same (Java or program or applet or application or executable or software)).ab. and (download\$4 or activat\$4 or load\$4 or instantiat\$4) and (commit\$4 or rollback or restor\$4 or undo\$4))) and ((install\$5 or download\$4 or configur\$6 or upgrad\$4 or build) adj2 package)) and ((@ad<=20000715 or @rlad<=20000715) and (deploy\$4 or activat\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 15:22
		16	(((((attribute or parameter) same ((class or method) near4 instantiat\$4)) and (download\$3 or deploy\$5 or activat\$4 or load\$4) and (class adj2 instance)) or ((@ad<=20000715 or @rlad<=20000715) and ((deploy\$4 or activat\$4) same (Java or program or applet or application or executable or software)).ab. and (download\$4 or activat\$4 or load\$4 or instantiat\$4) and (commit\$4 or rollback or restor\$4 or undo\$4))) and ((install\$5 or download\$4 or configur\$6 or upgrad\$4 or build) adj2 package)) and ((@ad<=20000715 or @rlad<=20000715) and (deploy\$4 or activat\$4)) and package	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 14:42
		12	(((((attribute or parameter) same ((class or method) near4 instantiat\$4)) and (download\$3 or deploy\$5 or activat\$4 or load\$4) and (class adj2 instance)) or ((@ad<=20000715 or @rlad<=20000715) and ((deploy\$4 or activat\$4) same (Java or program or applet or application or executable or software)).ab. and (download\$4 or activat\$4 or load\$4 or instantiat\$4) and (commit\$4 or rollback or restor\$4 or undo\$4))) and ((install\$5 or download\$4 or configur\$6 or upgrad\$4 or build) adj2 package)) and ((@ad<=20000715 or @rlad<=20000715) and (deploy\$4 or activat\$4)) and package) and ((object or class or method) near4 (attribute or parameter or property))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 14:44
		8	(((((attribute or parameter) same ((class or method) near4 instantiat\$4)) and (download\$3 or deploy\$5 or activat\$4 or load\$4) and (class adj2 instance)) or ((@ad<=20000715 or @rlad<=20000715) and ((deploy\$4 or activat\$4) same (Java or program or applet or application or executable or software)).ab. and (download\$4 or activat\$4 or load\$4 or instantiat\$4) and (commit\$4 or rollback or restor\$4 or undo\$4))) and ((install\$5 or download\$4 or configur\$6 or upgrad\$4 or build) adj2 package)) and ((@ad<=20000715 or @rlad<=20000715) and (deploy\$4 or activat\$4)) and package) and ((object or class or method) near4 (attribute or parameter or property)) not ("Business Machines").as. and instantiat\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 15:23

		5	((((((((attribute or parameter) same ((class or method) near4 instantiat\$4)) and (download\$3 or deploy\$5 or activat\$4 or load\$4) and (class adj2 instance)) or ((@ad<=20000715 or @rlad<=20000715) and ((deploy\$4 or activat\$4) same (Java or program or applet or application or executable or software)).ab. and (download\$4 or activat\$4 or load\$4 or instantiat\$4) and (commit\$4 or rollback or restor\$4 or undo\$4)) and ((install\$5 or download\$4 or configur\$6 or upgrad\$4 or build) adj2 package)) and ((@ad<=20000715 or @rlad<=20000715) and (deploy\$4 or activat\$4))) and package) and ((object or class or method) near4 (attribute or parameter or property))) not ("Business Machines").as. and instantiat\$4) and (commit or rollback)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 14:47
		3	((((@ad<=20000715 or @rlad<=20000715) and (((deploy\$4 or activat\$4)).ab. or ((deploy\$4 or activat\$4).clm.)) and (class same (attribute or package))) and (717/\$ or 709/4 or 714/\$)) and (((((717/168-178) or (345/749) or (709/213-222)).CCLS.) and (download\$4 and ((software or Java) near4 package))) and (@ad<=20000715 or @rlad<=20000715)) and (((((attribute or parameter) same ((class or method) near4 instantiat\$4)) and (download\$3 or deploy\$5 or activat\$4 or load\$4) and (class adj2 instance)) or ((@ad<=20000715 or @rlad<=20000715) and ((deploy\$4 or activat\$4) same (Java or program or applet or application or executable or software)).ab. and (download\$4 or activat\$4 or load\$4 or instantiat\$4) and (commit\$4 or rollback or restor\$4 or undo\$4)) and ((install\$5 or download\$4 or configur\$6 or upgrad\$4 or build) same package)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 15:02
		0	Reed.in. and Microsoft.as. and (deploy\$4 and rollback)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 15:03
		0	Reed.in. and (deploy\$4 and rollback)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 15:04
		18	Reed.in. and (commit or rollback)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 15:12
		113	(package near8 (download or install\$5 or unpacking)) and (rollback or re-activat\$4 or restor\$4 or deinstall\$4) and ((install\$4 or configur\$5 or activat\$4) adj2 (script or program))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 15:54
		41	((package near8 (download or install\$5 or unpacking)) and (rollback or re-activat\$4 or restor\$4 or deinstall\$4) and ((install\$4 or configur\$5 or activat\$4) adj2 (script or program))) and ((@ad<=20000715 or @rlad<=20000715) and (deploy\$4 or activat\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 15:22

	7	((package near8 (download or install\$5 or unpacking)) and (rollback or re-activat\$4 or restor\$4 or deinstall\$4) and ((install\$4 or configur\$5 or activat\$4) adj2 (script or program))) and ((@ad<=20000715 or @rlad<=20000715) and (deploy\$4 or activat\$4)) not ("Business Machines").as. and instantiat\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 15:23
	24	(US-6588011-\$ or US-6347397-\$ or US-6269480-\$ or US-5966540-\$ or US-6634022-\$ or US-6601236-\$ or US-6550061-\$ or US-6453469-\$ or US-6523166-\$ or US-6151643-\$ or US-6199204-\$ or US-6363411-\$ or US-6175364-\$ or US-6631425-\$ or US-6505228-\$ or US-6117187-\$ or US-6161218-\$ or US-6425005-\$ or US-6014666-\$ or US-5845090-\$ or US-6496833-\$ or US-6373507-\$).did. or (US-20020116698-\$ or US-20020083166-\$).did.	USPAT; US-PGPUB	2004/03/05 15:25
	9	((US-6588011-\$ or US-6347397-\$ or US-6269480-\$ or US-5966540-\$ or US-6634022-\$ or US-6601236-\$ or US-6550061-\$ or US-6453469-\$ or US-6523166-\$ or US-6151643-\$ or US-6199204-\$ or US-6363411-\$ or US-6175364-\$ or US-6631425-\$ or US-6505228-\$ or US-6117187-\$ or US-6161218-\$ or US-6425005-\$ or US-6014666-\$ or US-5845090-\$ or US-6496833-\$ or US-6373507-\$).did. or (US-20020116698-\$ or US-20020083166-\$).did.) and ((class and method or object) near3 instantiat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 15:32
	13	((US-6588011-\$ or US-6347397-\$ or US-6269480-\$ or US-5966540-\$ or US-6634022-\$ or US-6601236-\$ or US-6550061-\$ or US-6453469-\$ or US-6523166-\$ or US-6151643-\$ or US-6199204-\$ or US-6363411-\$ or US-6175364-\$ or US-6631425-\$ or US-6505228-\$ or US-6117187-\$ or US-6161218-\$ or US-6425005-\$ or US-6014666-\$ or US-5845090-\$ or US-6496833-\$ or US-6373507-\$).did. or (US-20020116698-\$ or US-20020083166-\$).did.) and (install\$5 same package)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 15:35
	9	((US-6588011-\$ or US-6347397-\$ or US-6269480-\$ or US-5966540-\$ or US-6634022-\$ or US-6601236-\$ or US-6550061-\$ or US-6453469-\$ or US-6523166-\$ or US-6151643-\$ or US-6199204-\$ or US-6363411-\$ or US-6175364-\$ or US-6631425-\$ or US-6505228-\$ or US-6117187-\$ or US-6161218-\$ or US-6425005-\$ or US-6014666-\$ or US-5845090-\$ or US-6496833-\$ or US-6373507-\$).did. or (US-20020116698-\$ or US-20020083166-\$).did.) and (((install\$5 and download) or distribut\$4) same package)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 15:39

		3	((US-6588011-\$ or US-6347397-\$ or US-6269480-\$ or US-5966540-\$ or US-6634022-\$ or US-6601236-\$ or US-6550061-\$ or US-6453469-\$ or US-6523166-\$ or US-6151643-\$ or US-6199204-\$ or US-6363411-\$ or US-6175364-\$ or US-6631425-\$ or US-6505228-\$ or US-6117187-\$ or US-6161218-\$ or US-6425005-\$ or US-6014666-\$ or US-5845090-\$ or US-6496833-\$ or US-6373507-\$).did. or (US-20020116698-\$ or US-20020083166-\$).did.) and (((install\$5 and download) or distribut\$4) same package) and (installation adj2 (script or program))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 15:53
	9585		((deploy\$4 or activat\$4 or unpack\$5 or integrat\$4) near5 package).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 15:54
		1	((deploy\$4 or activat\$4 or unpack\$5 or integrat\$4) near5 package).ab.) and ((package near8 (download or install\$5 or unpacking)) and (rollback or re-activat\$4 or restor\$4 or deinstall\$4) and ((install\$4 or configur\$5 or activat\$4) adj2 (script or program)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 16:39
		0	((US-6588011-\$ or US-6347397-\$ or US-6269480-\$ or US-5966540-\$ or US-6634022-\$ or US-6601236-\$ or US-6550061-\$ or US-6453469-\$ or US-6523166-\$ or US-6151643-\$ or US-6199204-\$ or US-6363411-\$ or US-6175364-\$ or US-6631425-\$ or US-6505228-\$ or US-6117187-\$ or US-6161218-\$ or US-6425005-\$ or US-6014666-\$ or US-5845090-\$ or US-6496833-\$ or US-6373507-\$).did. or (US-20020116698-\$ or US-20020083166-\$).did.) and (install near4 script).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 16:40
		3	((US-6588011-\$ or US-6347397-\$ or US-6269480-\$ or US-5966540-\$ or US-6634022-\$ or US-6601236-\$ or US-6550061-\$ or US-6453469-\$ or US-6523166-\$ or US-6151643-\$ or US-6199204-\$ or US-6363411-\$ or US-6175364-\$ or US-6631425-\$ or US-6505228-\$ or US-6117187-\$ or US-6161218-\$ or US-6425005-\$ or US-6014666-\$ or US-5845090-\$ or US-6496833-\$ or US-6373507-\$).did. or (US-20020116698-\$ or US-20020083166-\$).did.) and (script).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 16:47
		2	((US-6588011-\$ or US-6347397-\$ or US-6269480-\$ or US-5966540-\$ or US-6634022-\$ or US-6601236-\$ or US-6550061-\$ or US-6453469-\$ or US-6523166-\$ or US-6151643-\$ or US-6199204-\$ or US-6363411-\$ or US-6175364-\$ or US-6631425-\$ or US-6505228-\$ or US-6117187-\$ or US-6161218-\$ or US-6425005-\$ or US-6014666-\$ or US-5845090-\$ or US-6496833-\$ or US-6373507-\$).did. or (US-20020116698-\$ or US-20020083166-\$).did.) and (script).ab.) and class and installation	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 16:49

	3	((installation or integration) adj3 (script or program)).ab. and ((class or method) near3 instantiat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 17:15
	0	((installation or integration) adj3 ((Java or C++) adj2 program)).ab. and ((class or method) near3 instantiat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 17:12
	0	((installation or integration) adj3 (Java or C++)).ab. and ((class or method) near3 instantiat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 17:12
	4	((installation or integration) adj3 (Java or C++)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 17:13
	11	((installation or integration) adj3 program) and ((US-6588011-\$ or US-6347397-\$ or US-6269480-\$ or US-5966540-\$ or US-6634022-\$ or US-6601236-\$ or US-6550061-\$ or US-6453469-\$ or US-6523166-\$ or US-6151643-\$ or US-6199204-\$ or US-6363411-\$ or US-6175364-\$ or US-6631425-\$ or US-6505228-\$ or US-6117187-\$ or US-6161218-\$ or US-6425005-\$ or US-6014666-\$ or US-5845090-\$ or US-6496833-\$ or US-6373507-\$).did. or (US-20020116698-\$ or US-20020083166-\$).did.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 17:13
	2	((installation or integration) adj3 program) and ((US-6588011-\$ or US-6347397-\$ or US-6269480-\$ or US-5966540-\$ or US-6634022-\$ or US-6601236-\$ or US-6550061-\$ or US-6453469-\$ or US-6523166-\$ or US-6151643-\$ or US-6199204-\$ or US-6363411-\$ or US-6175364-\$ or US-6631425-\$ or US-6505228-\$ or US-6117187-\$ or US-6161218-\$ or US-6425005-\$ or US-6014666-\$ or US-5845090-\$ or US-6496833-\$ or US-6373507-\$).did. or (US-20020116698-\$ or US-20020083166-\$).did.)) and ((class or method) near3 (instanc\$4 or instantiat\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 17:49
	1	installation near4 undoable	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 17:49
	179	integration near4 (undoable or permanent)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 17:50
	0	undoable and (integration near4 (undoable or permanent))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 17:50
	2	((hard near4 install\$5) and non-erasable)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 17:51